

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Tables of Generating Functions, Reduced and Representative for certain Ternary Systems of Binary Forms.

By J. J. Sylvester.

The annexed tables have been calculated under my directions by Messrs. Durfee and Ely, out of the fund placed at my disposition by the British Association for the Advancement of Science in the year 1881. Subsequent investigation will be necessary in order to ascertain whether there exist or not extra tabular groundforms which escape the operation of tamisage.

G. F. it will be understood stands for the words Generating Function.

System of Two Quadratics and One Quartic.

G. F. for invariants, reduced form.

Denominator:
$$(1 - b^2)(1 - \beta^2)(1 - d^2)(1 - d^3)(1 - b\beta)(1 - bd)(1 - \beta d)(1 - b^2 d)(1 - \beta^2 d)$$
.

Numerator:

		d^0	d^1	d^2	d^3	d^4			d^0	d^{1}	d^2	d^3	d^4
	β^0	1						eta^1			1		
b^0	$eta^{\scriptscriptstyle 1}$		<u> </u>				b^{8}	eta^2				1	
	β^2			1				β^3					1
	eta^0		- 1					β^0			1		
b^1	$eta^{\!\scriptscriptstyle 1}$		1	2			b^2	β^1		1			
	eta^2		1		$\frac{}{1}$			eta^2		- W	2	<u>-</u>	
	eta^{8}							β^3				1	

G. F. for invariants, representative form.

Denominator:
$$(1-b^2)(1-\beta^2)(1-d^2)(1-d^3)(1-b\beta)(1-b^2d^2)$$

 $(1-\beta^2d^2)(1-b^2d)(1-\beta^2d).$

VOL. V.

		d^0	d^1	d^2	d^3	d^4	d^5			d^0	d^1	d^2	d^3	d^4	d^5	d^6
	\hat{eta}^0	1							eta^0							
b^0	eta^1							b^4	$eta^{\scriptscriptstyle 1}$				<u> </u>			
	eta^2								eta^2							
	β^8				1				eta^{3}							
	β^4								β^4							1
	$oldsymbol{eta^0}$								eta^0				_1_			
	eta^1		_1_	1					eta^1							
b^1	\hat{eta}^2		_1_	1	1			b^3	eta^2				<u> </u>	_ 1	<u> </u>	
	β^8								eta^3					1	1	
	β^4				1				β^4							
	β^0															
b^2	β^1		1	1	_1_											
	β^2															
	β^8				1	1	1									
	β^4			.												

TABLE OF GROUNDFORMS.

Deg. in coeff's of quadratic	Deg. in coeff's of quadratic	(of qu	coe artic	.
quadratic	4	0	1	2	3
	0			1	1
0	1				
	2	1	1	1	
	3				1
	0				
1	1	1	1	1	
	2		1	1	1
9	0	1	1	1	
2	1		1	1	1
3	0				1

SYSTEM OF QUADRATIC, CUBIC, AND QUARTIC.

G. F. for invariants, reduced form.

Denominator:
$$(1-b^2)(1-c^4)(1-d^3)(1-d^3)(1-bc^2)(1-b^3c^2)$$
 $(1-bd)(1-b^2d)(1-c^2d)(1-c^2d^3)(1-c^4d)$ $(1-c^4d^3).$

		d^0	d^1	d^2	d^3	d^4	d^5	d^6	d^7	d^8	d^9	d^{10}
	c^0	1										
	c^2		1									
b^0	$\mathbf{c^4}$			2	2	2	_1					
	c^6			_1	1		1	1				
	c^8					2	$\frac{}{2}$	$\frac{}{2}$				
	c^{10}								1			
	c^{12}									1		
	d^0		1									
	c^2		2	4	2	_1_						
	c^4	COMPANY TO LAKE	2	2	enema hi	1	2	1				
$b^{\scriptscriptstyle 1}$	c^6		NATIONAL AND AND AND	2	3	3	1	1	1			
	c^8		-	1	1		1	1	1		•	
	c^{10}				_1_	1		1	2	2		
	c^{12}								1		1	
	c^{14}									1		
	c^0			1								
	c^2		2	1	1	1						
	c^4		1	1	<u> </u>	1	<u>-</u>					
	c^6			1			1	1				
b^2	c^8			<u>-</u>	<u> </u>	2	2	- 1				
	c^{10}					<u>-</u>	1			1	1	
	c^{12}					1	2	2	1	2	1	
	c^{14}										_ 1	
	c^2		1	_ 1	_ 1	_ 1						
	c^4	1	1_		1			<u>-</u>				
	c^6		2	3	2	2	1	2	_ 1	1		
b^{8}	c^8		_ 1	1	2	1		1	2	1	1	
	c^{10}			1	1	2	1	2	2	3	2	
	c^{12}					1			1		- 1	<u> </u>
	c^{14}							1	1	1	- 1	-

		d^0	d^1	d^2	d^3	d^4	d^5	d^6	d^7	d^8	d^9	d^{10}
	c^4			1								
	c^6				<u>-</u>							
b^6	c^8					2	2	2	1			
	c^{10}					1	1		1	<u>-</u> 1		
	c^{12}						- 1	2	2	2		
	c^{14}										1	
	c^{16}											<u></u>
	c^2			1								
	c^4		<u> </u>		1							
	c^6			2	2	1		_ 1	1			
b^5	c^8				1	1	1		1	1		
	c^{10}				1	1	1	3	3	2		
	c^{12}					1	2	1		2	2	
	c^{14}							<u> </u>	2	-	2	
	c^{16}										1	
	c^2		_1_									
	c^4		1	2	1	$\frac{}{2}$	2	1				
	c^6		1 - 1	_ 1			1	1				
	c^8					1	2	2	1	1		
b^4	c^{10}					1	1			1		
	c^{12}						1	1	1	1	1	
	c^{14}						1	1	1		2	
	c^{16}									1 1		

Sylvester: Tables of Generating Functions, Reduced and

G. F. for invariants, representative form.

Denominator: $(1-b^2)(1-c^4)(1-d^2)(1-d^3)(1-bc^2)(1-b^3c^2)(1-b^2d^2)$ $(1-b^2d)(1-c^4d^3)(1-c^4d)(1-c^4d^3)$

$c^{0} \over c^{2} \over c^{4} \over c^{6} \over c^{6} c^{8} \over c^{10} c^{12} c^{14} c^{2} \over c^{4} c^{4}$	1		1 1	3	2 2 - 1 - 1	1 1 - 2								c^4			1									
c^{4} c^{6} c^{8} c^{10} c^{12} c^{14}					2 - 1	1	2										1					1	I	1		, –
c^{6} c^{8} c^{10} c^{12} c^{14} c^{2}					2 - 1	1								c^6												
c^{8} c^{10} c^{12} c^{14} c^{2}			1	3	1	_	- 3							c^8					1	2	2	1				
c^{10} c^{12} c^{14} c^{2}					_	2	2							c^{10}					1	3	2	1				
c ¹² c ¹⁴ c ²					1		o o	1					b^7	c^{12}							1	2	3	1		
c ¹⁴						2	2	— 1						c^{14}							1	$\frac{}{2}$	2	<u>-</u>		
c^2	harrowana													c^{16}												
										1				c^{18}												_ 1
c^4	-	2	3	2	1									c^2	-											
		2	4	5	3	1								c^4												
c^6					***************************************					territorio de la compansión				c^6			1	2	2		1					
c ⁸			- 1	- 3	3	3	2	<u> </u>					b^6	c^8				2	3	2	1					
c^{10}						1	2	3	2					c^{10}					1	2	3	3	3	1		
2^{12}					1	1		2						c^{12}							***************************************					
314									-					c^{14}							$\frac{-}{1}$	3	$\frac{-}{5}$	$\frac{}{4}$	2	
316	Antonio anno									1				c^{16}								<u> </u>	_			
²		2	3	3	1									c^4 .	$\frac{-}{1}$	<u>-</u>		<u>-</u>	$\frac{}{2}$	2						
34	****					_ 1	2	<u>-</u>						c^6							_	 1				
₂ 6										-	-			c^8									1			
,8			_ 1			_			2	1			b^5	c^{10}			-		_		-			1		
310				_				_						c^{12}												
312										-	With the Political			c^{14}										3		
,14									1	1	1	1		c^{16}												
³⁰				1		-								c^2	1	1	1	_ 1	<u>-</u>							
,2		1	1	-	$\frac{}{1}$	 1	$\frac{-}{1}$							c^4						$\frac{}{2}$	_ 1					
,4	1			1				- 1						c^6	-	$\frac{}{3}$	$\frac{}{4}$					$\frac{}{2}$	 1			
,6		_	_					_	1				b^4	c^8					_							
,8			_					-						c^{10}		-	-						6	3	1	
,10		-		-				1		4	2	***************************************		c^{12}					2							
,12				1								1		c^{14}				-					_		_	- 1
,14				-										c^{16}	PRODUCTION OF THE PROPERTY OF				-							
16	_					-	~			1				c^{18}							-	-	<u>-</u>	-		
	38 310 314 316 32 34 36 38 310 314 36 38 310 312 34 36 38 310 312 314 316 316 317 317 318 318 318 319 319 319 319 319 319 319 319	38 310 312 314 315 315 315 315 315 315 315 315 315 315	38	1	3	3 3 3 3 3 3 3 3 3 3	3	3	3	36 1 3 3 3 2 1 30 1 2 3 2 1 312 1 1 1 2 3 2 314 1 1 1 2 2 2 314 1 3 4 2 1 2 1 2 32 2 3 3 1 2 1 2 1 34 1 3 4 2 1 2 1 2 1 2 1 38 1 3 5 5 5 2 1 2 1 30 1 2 3 2 1 1 2 1 1 30 1 2 3 2 1 1 2 1 1 2 1 1 2 1	3	36 1 3 3 3 2 1 1 2 3 2 1 1 2 3 2 1 1 2 3 2 1 1 1 2 3 2 1 1 1 2 3 2 1 1 1 2 2 3 1 1 1 2 2 3 3 1 1 1 2 2 3 3 1 1 1 2 3 3 1 1 2 2 1 1 2 1 2 1 2 1 2 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 </td <td> 38</td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td> <td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td> <td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td> <td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td> <td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td>	38	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$

Deg. in coeff's of Deg. in coeff's of Degree in coeff's of Quartic. Quadratic Cubic. $\mathbf{5}$ $\mathbf{2}$

TABLE OF GROUNDFORMS.

System of One Quadratic and Two Quartics.

G. F. for invariants, reduced form.

$$\begin{array}{c} \text{Denominator} \colon (1-b^{2})(1-\delta^{2})(1-\delta^{3})(1-d^{3})(1-d^{3})(1-b\delta)(1-b^{2}\delta) \\ (1-bd)(1-b^{2}d)(1-\delta d)(1-\delta^{2}d)(1-\delta^{2}d)(1-\delta^{2}d) \end{array}$$

İ		d^0	d^1	d^2	d^3	d^4	d^5	$ d^6 $			d^0	d^1	d^2	d^3	d^4	d^5	d^6
	δ^0	1								δ^2			1				
	δ^{1}									δ^3		·					
b^0	δ^2			1_					b^5	δ^4					1		
	δ^3									δ^5							
	δ^4					1				δ^6							1_1_
	δ^0		<u>-</u>							δ^1			1				
	δ^{1}	<u>-</u>	1	1	1					δ^2		1					
b^1	δ^2		1	1					b^4	δ^3				1		1	
	δ^3		1		_1_					δ^4					1	1	
	δ^4						<u>-</u>			δ^5				1	1	1	<u>-</u>
	δ^5					1				δ^6						1	
	δ^0			1						δ^1		1	1				
	δ^1		2		1	1				δ^2		1				1	
b^2	δ^2	1		<u>-</u>	2				b^3	δ^3					2	<u>-</u>	
	δ^{8}		1	2						δ^4				2	1		1
	δ^4		1				1			δ^5			1	1		2	
	85					1	1			δ^6					1		

G. F. for invariants, representative form.

$$\begin{array}{l} \text{Denominator} \colon (1-b^{\flat})(1-\delta^{\flat})(1-\delta^{\flat})(1-d^{\flat})(1-d^{\flat})(1-d^{\flat})(1-b^{\flat}\,\delta^{\flat})(1-b^{\flat}\,\delta)\\ (1-b^{\flat}\,d^{\flat})(1-b^{\flat}\,d)(1-\delta d)(1-\delta^{\flat}\,d)(1-d^{\flat}\,\delta). \end{array}$$

		d^0	d^1	d^2	d^8	d^4	d^5	d^6			d^1	d^2	d^3	d^4	d^{5}	d^6	$ d^7 $
	δ^0	1								8³			1				
	δ^1									δ^4							
b^0	δ^2			1					b^{7}	δ^5					1		
	δ^3									δ^6							
	δ^4					1				δ^7							1
	δ^1		1	1	_1_					$\delta^{\!\scriptscriptstyle 4}$				1	1	1	
b^1	δ^2		1_	1	1				b^6	δ^5				1	1	1	
	δ^3		1	1	1_					δ^6				1_	1_	1	
	δ^1		_1_	1						δ^1			<u> </u>				
	δ^2		1	1						δ^2			 1				
b^2	δ^8				1	1			b^5	δ^3	<u> </u>	<u> </u>		1			
	δ^4				1		<u>1</u>	<u> </u>		δ^4			1	1			
	δ^5					1				δ^5					1	1	
	δ^6					 1				δ^6					1_	1	
	δ^0				1					δ^2				1	_ 1	_ 1	
	δ^1		1	1			1			δ^3				2	2	1	
b^{8}	δ^2		1	1	<u> </u>	2	<u>-</u>		b^4	δ^4		<u>-</u>	2	3	_ 1		1
	δ^8	1		1	3	2	<u>-</u>			δ^5		1	2	<u>-</u>	1	1	
	δ^{4}		1	2	2					δ^6		1	1		1	1_	
	δ^5		1	1	1					δ^7				1			

TABLE OF GROUNDFORMS.

Deg. in coeff's of quadratic.	Deg. in coeff's of quartic.	De o	g. in f qu	coef artic	eff's
	0			1	1
0	1		1	1	
0	2	1	1	1	
	3	1			
	0				
1	1		1	1	1
1	2		1	1	1
	3		1	1	
	0	1	1	1	
2	1	1	1	1	
	2	1	1		
	0				1
3	1		1	1	
	2		1		
	3	1			

System of Three Quartics.

G. F. for invariants, reduced form.

$$\begin{split} \text{Denominator} : \ & (1-\partial^{\text{2}})(1-\partial^{\text{3}})(1-\delta^{\text{2}})(1-\delta^{\text{3}})(1-\partial^{\text{3}})(1-\partial^{\text{3}})\\ & (1-\partial\delta)(1-\partial d)(1-\delta d)(1-\partial^{\text{2}}d)(1-\partial d^{\text{2}})\\ & (1-\partial^{\text{2}}\delta)(1-\partial\delta^{\text{2}})(1-\delta^{\text{2}}d)(1-\delta d^{\text{2}}). \end{split}$$

	1		1	1			٠	1		1 1	1	1	T _	1		1 7/	1	-c	ا	1 .0
		d^0	d^1	d^2	d^3	d^4	<u>d</u> 5	d^6	d^{i}	<u>d</u> 8			d^{1}	d^2	d^3	d^4	d^5	d^6	d^{7}	_d ⁸
	δ0	1										δ^4				1				
	δ^1											δ^5								
	δ^2			1								δ^6						1		
∂0	δ^{8}										∂^8	δ^7								
	δ^4					1						∂8								1
	δ^1		1	1								δ^2				1				
	δ^2		1	1								8				1				
	δ^3				1	1						δ^4		1	1		<u>-</u>			
∂^1	δ^4				1		-	- 1			∂^7	δ^5				<u>-</u>	_ 1			
	δ^5					1						δ^6							1	
	δ^6					1 - 1						δ^7						<u> </u>	1 - 1	
	δ^0			1								δ^1				<u>-</u>				
	δ^1		1	1								δ^2		1			1	1		
	δ^2	1	1	1			_ 1	1				δ^3		1	<u>-</u>	2	2	1		
∂_3	δ^3				1		2	1			∂^6	δ^4	-		2	3	1			
	δ^4					3	$\frac{2}{2}$		1			85		1	2	1	1			
	∂^5	ļ		 1	2	$\frac{3}{2}$	1	1				δ^6		1	1			<u>-</u>	<u> </u>	<u>-</u>
	δ^6			 		2	1	1				δ^7		-	-			1	1	_
	δ^7					1						8		· .				1	-	
	δ^1											δ^1				_				
	δ^2				1	1 - 1	<u>-</u>					δ^2		<u>-</u>	<u>-</u>	1 2	1	1		
∂^3	8				_1_	- 1	_	1 - 1			∂^5	δ^3		_	$\frac{z}{3}$	_~	3	2		
	$\frac{\delta}{\delta^4}$		1	1	-	4	3					$-\frac{\delta^4}{\delta^4}$	-	2	<u> </u>				$\frac{-}{1}$	
	$\frac{\delta}{\delta^5}$		_1_	1	4	5		2	_1_			$\frac{\delta}{\delta^5}$	_1_	2	_	5	4	1 1	1 - 1	
				2 - 1	3 - 1	_	3	2				$\frac{\delta}{\delta^6}$		1_	3	4	_	1	1	-
	86			_1_	1	2	2	_1_				$\frac{\delta}{\delta^7}$		1	2	1	1 - 1			
	δ^7					1				1		U.	1			1	1			

Numerator—Continued:

		d^0	d^{1}	d^2	d^8	d^4	d^5	d^6	d^7	d^8
	80					1				
	δ^1				1		<u>-</u>	1		
	δ^2				<u> </u>	3	2		1	
∂^4	δ^3		1	- 1	4			2	1	
	δ^4	1		3	5		5	3		- 1
	δ^5		$\frac{-}{1}$	2		5	4	1	_ 1	
	86		1		2	3	1			
	δ^7			1	1		- 1			
	8					1				

Representative form same as reduced form.

TABLE OF GROUNDFORMS.

Deg. in coeff's of quartic	Deg. in coeff's of quartic			coet artic	
	0			1	1
0	1		1	1	
	2	1	1	1	
	3	1			
	0		1	1	
1	1	1	1	1	
	2	1	1	1	
	0	1	1	1	
2	1	1	1	1	
	2	1	1		
3	0	1			